KCA Laboratories 232 North Plaza Drive Nicholasville, KY 40356

kca

Total ∆9-THC

Total CBD

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P_0058

Status

Tested

Yes

Internal Standard Normalization

Result

(mg/unit)

ND

ND

ND

0.267

ND

2.46

16.4

2.07

ND

ND

ND

3.39

<LOQ

2.26

2.25

2.07

0.267

1 of 2

25mg TwistedX: Berry Blast Client Sample ID: SA-220401-8333 D8 CO Batch: D1KO2554BB Received: 04/05/2022 Completed: 04/18/2022 1624 Market St. Type: Finished Products Matrix: Edible - Gummy Denver, CO 80202 Unit Mass (g): 4.5 USA Summary Test Date Tested 04/18/2022 Cannabinoids 0.0461 % 0.646 % Not Tested Not Tested 0.364 % Total ∆9-THC **∆8-THC Total Cannabinoids** Moisture Content Foreign Matter Cannabinoids by HPLC-PDA, LC-MS/MS, and/or GC-MS/MS LOD LOO Result Result Analyte (%) (%) (%) (mg/g)CBC 0.00284 ND 0 00095 ND CBCA 0.00181 0.00543 ND ND CBCV 0.0006 0.0018 ND ND CBD 0.00242 0.00594 0.0594 0.00081 CBDA 0.00043 0.0013 ND ND CBDV 0.00061 0.00182 ND ND CBDVA 0.00021 0.00063 ND ND CBE 0.00095 0.0028 ND ND CBG 0.00057 0.00172 ND ND CBGA 0.00049 0.00147 ND ND CBL 0.00112 0.00335 ND ND CBLA 0.00124 0.00371 ND ND CBN 0.00056 0.00169 ND ND CBNA 0,0006 0.00181 ND ND CBT 0.00181 0.00543 ND ND ∆6a,10a-THC 0.01 0.03 0.0547 0.547 ∆8-THC 0.00104 0.00312 0.364 3.64 ∆9-THC 0.00076 0.00227 0.0461 0.461 Δ9-ΤΗCΑ 0.00084 0.00251 ND ND Δ9-THCV 0.00069 0.00206 ND ND ND Δ9-THCVA 0.00062 0.00186 ND (6a R,9R)-∆10-THC 0.01 0.03 0.752 0.0752 (6aR,9S)-∆10-THC 0.01 0.03 <LOQ <LOQ (6aR,9R,10aR)-HHC 0.01 0.03 0.0503 0.503 0.01 0.0500 (6a R,9S,10a R)-HHC 0.03 0.500

Total 0.646 6.46 29.1 ND = Not Detected; NT - Npt Tg\$ted; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA DA * 0.877 + CBD; <u>erte</u>, Π. Hac-MR/ Lundo Generated By: Ryan Bellone Tested By: Scott Caudill Commercial Director ISO/IEC 17025:2017 Accredited Senior Scientist Accreditation #108651 Date: 04/18/2022 Date: 04/18/2022

0.0461

0.00594

0.461

0.0594

This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories are provide measurement uncertainty upon request.




KCA Laboratories 232 North Plaza Drive Nicholasville, KY 40356

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P_0058

2 of 2





Generated By: Ryan Bellone Commercial Director Date: 04/18/2022



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories are provide measurement uncertainty upon request.